

## Catalog: OM159932

Scan to get more validated information

## Cox-2 Antibody (H-62)

Catalog: OM159932 100ul

## **Product profile**

Product name Cox-2 Antibody (H-62)

Antibody Type Primary Antibodies

Modification Notes Prostaglandins are a diverse group of autocrine and paracrine hormones that mediate many cellular and p

hysiologic processes. Prostaglandin H2 (PGH2) is an intermediate molecule in formation of the prostaglan dins. Cyclooxygenase-1 (Cox-1) and cyclooxygenase-2 (Cox-2) are prostaglandin synthases that catalyz e the formation of PGH2 from arachidonic acid (AA). Cox-1 and Cox-2 are isozymes of prostaglandin-en doperoxidase synthase (PTGS). Cox-1 is constitutively expressed in most tissues and is thought to serve in general "housekeeping" functions. Cox-2 is efficiently induced in migratory cells responding to pro-infla mmatory stimuli and is considered to be an important mediator of inflammation. Both enzymes are target

s for the nonsteroidal therapeutic anti-inflammatory drugs, NSAIDs.

#### **Key Feature**

**Clonality** Polyclonal

**Isotype** IgG

Host Species Rabbit

Tested Applications WB ,IP ,IF ,FC ,ELISA

Species Reactivity Human Mouse Rat

Concentration 1mg/ml

**Purification** Affinity purified

### **Target Information**


Alternative Names epitope corresponding to amino acids 50-111 of Cox-2 of human origin

Tissue Specificity epitope corresponding to amino acids 50-111 of Cox-2 of human origin

## **Database Links**


Entrez Gene 5743

## **Application**



#### Application

Immunoperoxidase staining of formalin fixed, paraffin-embedded human urinary bladder tissue showing cytoplasmic and nuclear staining of urothelial cells.



#### **Application**

Western blot analysis of Cox-2 expression in PMA + LPS-induced RAW 264.7 whole cell lysate.

**Application Notes** 

recommended for detection of Cox-2 of mouse, rat and human origin by WB, IP, IF, FCM and ELISA; also reactive with additional species, including equine, canine, bovine and porcine:

### **Additional Information**

Form	Liquid
Storage Instructions	For short-term storage, store at 4° C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Storage Buffer	phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Note	The product is for research use only,not for use in diagnostic or therapeutic procedures.

# OmnimAbs.com

order@Omnimabs.com

506 N. GARFIELD AVE #210 ALHAMBRA, CA 91801

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt