

Catalog: OM215141



Scan to get more validated information

NDUFB4 Antibody (C-term)

Catalog: OM215141		
	100ug	

Product profile

Product name NDUFB4 Antibody (C-term)

Antibody Type Primary Antibodies

Key Feature

Clonality Polyclonal

Isotype Ig

Host Species Rabbit

Tested Applications WB ,IHC ,FC

Species Reactivity Human

Concentration 1 mg/ml

Purification

Target Information

Alternative Names NDUFB4; NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4; Complex I-B15; NADH-ubiquin

one oxidoreductase B15 subunit

Molecular Weight (MW) 15209 Da

Function Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I), t

hat is believed not to be involved in catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone

Tissue Specificity

This NDUFB4 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide bet


ween 97~127 amino acids from the C-terminal region of human NDUFB4.

Cellular Localization Mitochondrion inner membrane; Single-pass membrane protein; Matrix side

Database Links


Entrez Gene 4710

Application




Application

Western blot analysis of NDUFB4 Antibody (C-term) in mouse kidney tissue lysates (35ug/lane). NDUFB4 (arrow) was detected using the purified Pab.



Application

Formalin-fixed and paraffin-embedded human brain tissue with NDUFB4 Antibody (C-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



Application

Flow cytometric analysis of 293 cells using NDUFB4 Antibody (C-term)(bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Application Notes

WB~~1:100~500 IHC~~1:50~100 FC~~1:10~50:

Additional Information

Form	Liquid
Storage Instructions	For short-term storage, store at 4° C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Storage Buffer	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified thro ugh a protein A column, followed by peptide affinity purification.

Note The product is for research use only,not for use in diagnostic or therapeutic procedures.

OmnimAbs.com

order@Omnimabs.com

506 N. GARFIELD AVE #210 ALHAMBRA, CA 91801

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt