

Catalog: OM215361



Scan to get more validated information

NIP7 Antibody (C-term)

Catalog: OM215361	
	100ug

Product profile

Product name NIP7 Antibody (C-term)

Antibody Type Primary Antibodies

Key Feature

Clonality Polyclonal

Isotype Ig

Host Species Rabbit

Tested Applications WB ,FC

Species Reactivity Human

Concentration 1 mg/ml

Purification

Target Information

Alternative Names NIP7; 60S ribosome subunit biogenesis protein NIP7 homolog; KD93

Molecular Weight (MW) 20463 Da

Function Required for proper 34S pre-rRNA processing and 60S ribosome subunit assembly


Tissue Specificity Expressed in hematopoietic stem/progenitor cells

Cellular Localization Nucleus, nucleolus.

Database Links


Entrez Gene 51388

Application




Application

Western blot analysis of NIP7 Antibody (C-term) in NIH-3T3 cell line lysates (35ug/lane). NIP7 (arrow) was detected using the purified Pab.



Application

NIP7 Antibody (C-term) flow cytometry analysis of MCF-7 cells (bottom histogram) compared to a negative control cell (top histogram).FITC-conjugated goat-antirabbit secondary antibodies were used for the analysis.



Application

Western blot analysis of NIP7 (arrow) using rabbit polyclonal NIP7 Antibody (Cterm) . 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the NIP7 gene.

Application Notes WB~~1:100~500 FC~~1:10~50:

Additional Information

Form Liquid

Storage Instructions For short-term storage, store at 4° C. For long-term storage, aliquot and store at -20°C or below. Avoid

multiple freeze-thaw cycles.

Storage Buffer Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified thro

ugh a protein A column, followed by peptide affinity purification.

Note The product is for research use only,not for use in diagnostic or therapeutic procedures.

OmnimAbs.com

506 N. GARFIELD AVE #210 ALHAMBRA, CA 91801

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt