

Catalog: OM291644



Scan to get more validated information

SMAD1 Antibody

Catalog: OM291644	
	100ug

Product profile

Product name SMAD1 Antibody

Antibody Type Primary Antibodies

Product description

SMAD1 belongs to the SMAD family. SMAD proteins are signal transducers and transcriptional modulator s that mediate multiple signaling pathways. SMAD1 mediates the signals of the bone morphogenetic prot eins (BMPs), which are involved in a range of biological activities including cell growth, apoptosis, morpho genesis, development and immune responses. In response to BMP ligands, SMAD1 can be phosphorylate d and activated by the BMP receptor kinase. The phosphorylated form of SMAD1 forms a complex with S MAD4, which is important for its function in the transcription regulation. SMAD1 is a target for SMAD-spe cific E3 ubiquitin ligases, such as SMURF1 and SMURF2, and undergoes ubiquitination and proteasomemediated degradation. The protein encoded by this gene belongs to the SMAD, a family of proteins simila r to the gene products of the Drosophila gene 'mothers against decapentaplegic' (Mad) and the C. elegan s gene Sma. SMAD proteins are signal transducers and transcriptional modulators that mediate multiple si gnaling pathways. This protein mediates the signals of the bone morphogenetic proteins (BMPs), which a re involved in a range of biological activities including cell growth, apoptosis, morphogenesis, developmen t and immune responses. In response to BMP ligands, this protein can be phosphorylated and activated b y the BMP receptor kinase. The phosphorylated form of this protein forms a complex with SMAD4, which is important for its function in the transcription regulation. This protein is a target for SMAD-specific E3 u biquitin ligases, such as SMURF1 and SMURF2, and undergoes ubiquitination and proteasome-mediated degradation. Alternatively spliced transcript variants encoding the same protein have been observed.1) Ja dlowiec, J.A., (2006) J. Biol. Chem. 281 (9), 5341-5347.

Immunogen

Antibody produced in rabbits immunized with a synthetic peptide corresponding a region of human SMAD 1.

Key Feature

Clonality Polyclonal

Host Species Rabbit

Tested Applications ELISA ,IHC ,WB

Species Reactivity Dog Drosophila Human Mouse Rat Zebra Fish

Concentration 1 mg/ml

Purification Protein A

Target Information

Gene Symbol SMAD1

Alternative Names SMAD1, BSP1, JV4-1, JV41, MADH1, MADR1, BSP-1


Molecular Weight (MW) 52 kDa, 52 kDa, 52 kDa, 52 kDa, 52 kDa, 49 kDa

Database Links

Entrez Gene 4086


Protein Accession NP_005891

Application



Application

Antibody used in IHC on Human Skin.



Application

Antibody used in WB on Transfected 293T at 2.5 ug/ml.

Positive Control 1) Tranfected 293T Cell Lysate

Application Notes SMAD1 antibody can be used for detection of SMAD1 by ELISA at 1:1562500. SMAD1 antibody ca

n be used for detection of SMAD1 by western blot at 2.5 $\mu\text{g/mL},$ and HRP conjugated secondary a

ntibody should be diluted 1:50,000 - 100,000.:

Additional Information

Form Liquid

Storage Instructions For short periods of storage (days) store at 4°C. For longer periods of storage, store SMAD1 antibody at

-20°C. As with any antibody avoid repeat freeze-thaw cycles.

Storage Buffer IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -2

0 °C.Stable for 12 months from date of receipt

Note The product is for research use only,not for use in diagnostic or therapeutic procedures.

OmnimAbs.com

order@Omnimabs.com

506 N. GARFIELD AVE #210 ALHAMBRA, CA 91801

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt