



Scan to get more validated information

HA-probe Antibody (Y-11) FITC

Catalog: OM156745

Product profile

Product name	HA-probe Antibody (Y-11) FIT C
Antibody Type	Primary Antibodies
Modification Notes	Plasmid vectors for the expression of coding regions of eukaryotic genes in bacterial, insect and mammali
	an hosts are in common usage; such expression vectors are frequently used to encode hybrid fusion prot
	eins consisting of a eukaryotic target protein and a specialized region designed to aid in the purification a
	nd visualization of the target protein. For example, the pCDM8 expression vector and derivatives thereof
	encode fusions between the target protein and an 11 amino acid peptide derived from the influenza prot
	ein hemagglutinin (HA). The HA epitope tag is useful in Western blotting and immunohistochemical localiz
	ation of expressed fusion proteins when examined with antibodies raised specifically against the HA-epit
	ope tag.


Key Feature

Clonality	Polyclonal
lsotype	lgG
Host Species	Rabbit
Tested Applications	WB ,IP ,IF ,FC ,ELISA ,ChIP
Species Reactivity	Human Mouse Rat
Concentration	1mg/ml
Purification	Affinity purified

Target Information

Alternative Names	epitope mapping within an internal region of the influenza hemagglutinin (HA) protein
Tissue Specificity	epitope mapping within an internal region of the influenza hemagglutinin (HA) protein

Application



Application Notes

recommended for detection of proteins containing the HA tag by WB, IP, IF, FCM and ELISA:

Additional Information

Form	Liquid
Storage Instructions	For short-term storage, store at 4° C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Storage Buffer	phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Note	The product is for research use only, not for use in diagnostic or therapeutic procedures.

OmnimAbs.com

order@Omnimabs.com 506 N. GARFIELD AVE #210 ALHAMBRA, CA 91801 This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1